

01/23




FIG. 1A




FIG. 1B

02/23




FIG. 2

03/23




FIG. 3

04/23




FIG. 4

05/23




FIG. 5A




FIG. 5B




FIG. 5C




FIG. 5D

06/23




FIG. 6A

07/23




FIG. 6B

08/23

FIG. 7A




FIG. 7A




FIG. 7B

09/23

FOUO: 201000




FIG. 8

10/23




FIG. 9

FIG. 9

11/23

FIG. 10A





FIG. 10B

12/23

TOP OF PAGE






FIG. 10C






FIG. 13




FIG. 14




FIG. 15

16/23




FIG. 16

17/23




FIG. 17

18/23

TOP 50" 21-01300




FIG. 18

19/23




FIG. 19

TOP SECRET

20/23




FIG. 20

21/23

ELECTRONIC HYBRIDIZATION: Q CHIP
(ATA5/ATA7-BIOTIN, 10pM RCA5-BTR)
CONTROLLER 3, 10s INTEGRATION




FIG. 21

FIG. 22

NTPBQR33-W13 "BUG" CHIPS, VARIOUS CONCENTRATIONS OF RCA5 BTR REPORTER IN 50 mM HISTIDINE, SPECIFIC/NON-SPECIFIC BINDING AFTER WASHING




FIG. 22

23/23




FIG. 23